

25 MAXIMUM GLASS & ADHESIVE THICKNESS

STRUCTURAL OPENING = 'X' DIMENSION + 36 = 1019MM

OUTER FRAME SIZE = 'X' DIMENSION + 26 = 1009MM

CLEAR OPENING = 'X' DIMENSION - 115 = 868MM

3 POINT LOCK [3PL]

HEAVY DUTY BEARING HINGE

TYPICAL  
FIXINGS BY  
OTHERS

TEARDROP GASKET

FIRE BOARD AS TILE BACKER

3 MINIMUM GROUT GAP

3MM GROUT GAP

BACKPAINTED GLASS BY OTHERS

GLASS ADHESIVE BY OTHERS

'X' DIMENSION = DOOR/GLASS SIZE = 983MM

45 DEGREE CHAMFER REQUIRED ON GLASS  
TO ALLOW FREE OPERATION OF DOOR

**PROFABACCESS**

PROFAB ACCESS Ltd  
UNIT 52 FOURWAYS  
CARYLON ROAD INDUSTRIAL ESTATE  
ATHERSTONE  
WARWICKSHIRE  
CV9 1LH  
TEL: 01827 718222 FAX: 01827 721092  
HTTP://WWW.PROFABACCESS.COM

THIS DRAWING IS THE PROPERTY OF PROFAB ACCESS Ltd. AND MAY NOT BE  
COPIED OR REPRODUCED IN WHOLE OR IN PART WITHOUT THE WRITTEN CONSENT  
OF PROFAB ACCESS Ltd.

TOLERANCES UNLESS OTHERWISE STATED  
MACHINING: SHEET METAL:  
0.00 Dims =  $\pm 0.10$  Folding =  $\pm 0.20$   
0.0 Dims =  $\pm 0.25$  Angular =  $\pm 0.25^\circ$   
Otherwise =  $\pm 0.50$  Otherwise =  $\pm 0.50$

ALL DIMS. IN mm DWG. NOT FOR DXF  
PLEASE REMOVE TAGS & SHARP EDGES

**DO NOT SCALE**

FABRICATION DRAWING DETAILS

PART DESCRIPTION:

**GENERAL ASSEMBLY ('X' CROSS-SECTION)**

PRODUCT CODE/SPECIFICATION:

**PROFAB 2 HOUR FIRE RATED ACCESS PANEL  
8000/2FR**

FABRICATION DRAWING NO:

**PACX-82T-1TF-3P100**

ISSUE REF: **A STONE**

DRAWN BY: **A STONE**

DATE: **02/11/2007**


MATERIAL GAUGE & TYPE:

**N/A**

PRODUCT FINISH:

**SEE ROUTE CARD**





25 MAXIMUM GLASS & ADHESIVE THICKNESS

STRUCTURAL OPENING = 'Y' DIMENSION + 26 = 2100MM

OUTER FRAME SIZE = 'Y' DIMENSION + 16 = 2090MM

CLEAR OPENING = 'Y' DIMENSION - 50 = 2024MM

TEARDROP GASKET

3 POINT LOCK [ 3PL ]

TYPICAL  
FIXINGS BY  
OTHERS

FIRE BOARD AS TILE BACKER

10MM GAP BETWEEN DOOR AND FFL

GLASS BY OTHERS

GLASS ADHESIVE BY OTHERS

'Y' DIMENSION = DOOR/GLASS SIZE = 2074MM

FINISHED FLOOR LEVEL

**PROFABACCESS**

PROFAB ACCESS Ltd  
UNIT 52 FOURWAYS  
CARYLON ROAD INDUSTRIAL ESTATE  
ATHERSTONE  
WARWICKSHIRE  
CV9 1LH  
TEL: 01827 718222 FAX: 01827 721092  
HTTP://WWW.PROFABACCESS.COM  
THIS DRAWING IS THE PROPERTY OF PROFAB ACCESS Ltd. AND MAY NOT BE  
COPIED OR REPRODUCED IN WHOLE OR IN PART WITHOUT THE WRITTEN CONSENT  
OF PROFAB ACCESS Ltd.

TOLERANCES UNLESS OTHERWISE STATED  
MACHINING: 0.00 Dims = ±0.10  
0.0 Dims = ±0.25  
Otherwise = ±0.50  
SHEET METAL: Folding = ±0.20  
Angular = ±0.25°  
Otherwise = ±0.50

ALL DIMS. IN mm DWG. NOT FOR DXF  
PLEASE REMOVE TAGS & SHARP EDGES

**DO NOT SCALE**

FABRICATION DRAWING DETAILS

PART DESCRIPTION:

**GENERAL ASSEMBLY ('Y' CROSS-SECTION)**

PRODUCT CODE/SPECIFICATION:

**PROFAB 2 HOUR FIRE RATED ACCESS PANEL  
8000/2FR**

FABRICATION DRAWING NO:

**PACY-82T-1TF-3P100**

ISSUE REF: **A STONE**

DRAWN BY: **A STONE**

DATE: **02/11/2007**

MATERIAL GAUGE & TYPE:

**N/A**

PRODUCT FINISH:

**SEE ROUTE CARD**

